

Creative atmosphere More relaxing

Splash proof foam | Aromatherapy
Color atmosphere lamp | Ultraviolet sterilization



Unleash the charm of intelligent and dynamic technology Breathing lights

Semi-circular ambient lighting strip, paired with decorative trim.
Showcase dynamic charm and bring your bathroom to life.



Atmosphere in the dark of night. Dazzling and resplendent

No worry about stumbling around in the
dark when you get up at night.

Do not disturb each other.

Color ambient light



Sitting down surrounded by fragrance

Built in aromatherapy system
Keep the air fresh in the bathroom
Always breathe good air



+99%


Release aromatherapy scent after using the toilet:

Fearless of low water pressure challenges

Always have a strong urge anytime, anywhere,
say goodbye to the feeling of powerlessness when flushing the toilet



- ✓ Peak water usage
- ✓ high-rise building
- ✓ old residential area



Three-dimensional vortex suction leaves no residue

The pressurized siphon system, equipped with a booster pump,
creates a vortex inside the toilet bowl.

The dirt was quickly swept away.



Level 1

Electric booster
pump

Enhances
water pressure

Level 2

Water distribution
valve

High-speed
vortex scrubbing

Level 3

Bottom
flushing

Powerful flushing to
push waste into the pipe

Antibacterial toilet seat

Antibacterial toilet seat,
for hygienic and intimate contact.



Fully automated and contactless operation

Automatically open when you approach.
Closes and flushes automatically when you leave.



Automatic flip

Automatically open/flushing/close.



Automatically open



In use



Off-seat
Automatic flushing



Automatic closing

Foot sensor opening/closing/flushing



Automatically open



Foot sensor
opening seat



In use



Off-seat Automatic
flushing/closing



Off-seat auto-flushing


No need to bend down to press a button;
the toilet flushes automatically when you leave the seat.

Multiple control modes

Control is no longer boring or tedious

One-touch knob

Rotating left and right enables the washing function.
A light press activates functions such as flushing
and turning the device on/off.



Knob operation instructions



(After seating)
Left-rotating: Front wash
Then rotate again for moving front wash.



”(After seating)
Right-rotating: Rear wash.
Then rotate again for moving rear wash.



(Not seated)
Short press to flush
Press & hold for power on/off



(After seating)
Short press for drying.
Press and hold for flushing during power outage.
(*Connected with backup battery device)

Cleaning with instant heated & running water

Instant heated water, temperature adjustable.
Multiple washing modes, safer & more convenient.



Front wash mode

Gentle water pressure for cleaning



Rear wash mode

Concentrated water outflow



Adjustable mode

Nozzle position adjustable



Moving wash mode

Massage water washing



4-level water temperature adjustment



• Room temperature


• 34°C

• 37°C

• 40°C

Constant temperature seat heating

Wider seat, every seating becomes an enjoyable experience.
enjoy comfortable seating all year round.



4-level seat temperature adjustment



• Room temperature


• 34°C

• 37°C

• 40°C

Warm air drying dry and comfortable

Providing comfortable enjoyment in all seasons.
Blows away any remaining moisture on the skin after washing.



4-level drying air temperature adjustment



• Room temperature


• 35°C

• 45°C

• 55°C

8 layers of safety protection

We focus on every safety detail to ensure the safe use of the toilet.
Authoritative certification, ensuring product safety.



Seat temperature
protection



Waterproof
protection



Drying air temperature
protection



Water temperature
protection



Leakage
protection



Power outage
protection



Overheat
protection




Flame retardant
protection

Thoughtful details attention to every aspect

01

Night light



02

IPX4 water resistance rating




03

High-definition LED display



04

Soft-closing seat cover




Universal Outlet Design

Flexiable for
P-trap & S-trap




Back closed to wall



Help you know more about it

Item size	700X400X475mm
Flushing type	Jet siphon
Heated modes	Instant heated
Wind	Close / 35°C / 45°C / 55°C
Water	Close / 34°C / 37°C / 40°C
Seat	Close / 34°C / 37°C / 40°C
Power supply	220V/110V-50Hz
Power	1250W
Hole spacing	S-trap: 50-220mm P-trap: 180mm

All dimensions are measured manually and may be with a tolerance of 1~2cm.



Toilet seat size

